



ISEELED TECHNOLOGY CO.,LTD

深圳市艾斯光电科技有限公司

Factory Addr.: Bld 3, Zhuoke Industrial Park, Fuyong ,Bao'an, Shenzhen, China


Tel: 86-755-3697 8198

E-mail: info@iseeled.com

Web: www.iseeled.com

DMX RGB LED Linear Tube Light

User Manual Version V2021



Introduction

Features

Applications

Features

- Aluminum housing and PC diffuser.
- RGB full color, you can set various effect.
- DMX512 program, compatible with standard DMX512 controller in market.
- Different size linear tubes are available.

Applications

- Decoration for club, event stage, TV show, architecture and others

Contents

Product Pictures


Product Size and Parameters

Wiring Diagram

Accessory List

Model Definition


Product Picture



5065 LED Tube



3555 LED Tube



3550 LED Tube




3035 LED Tube




D50 LED Tube


Product Size and Parameters (unit: mm)



5065 tube housing



3555 tube housing




3550 tube housing

Product Specification


Name	5065 LED Tube	3555 LED Tube	3550 LED Tube
Model	LED-LT5065DMX4816	LED-LT3555DMX4816	LED-LT3550DMX4816
Dimension	1000*50*65mm	1000*35*55mm	1000*35*50mm
Color	RGB full color	RGB full color	RGB full color
LED QTY	48pcs smd rgb 5050	48pcs smd rgb 5050	48pcs smd rgb 5050
Pixel QTY	16pixels	16pixels	16pixels
Voltage	DC12V	DC12V	DC12V
Power	MAX=12W	MAX=12W	MAX=12W
Protocol	DMX512	DMX512	DMX512
Address Mode	Auto / Manual	Auto / Manual	Auto / Manual
Material	Aluminum housing +PC diffuser	Aluminum housing +PC diffuser	Aluminum housing +PC diffuser
Housing Color	Silver/Black	Silver/Black	Silver/Black
Diffuser Color	Milky	Milky	Milky
IP Rate	IP65	IP65	IP65
Remark	1, 60led 20pixels per meter is available. 2, Regular length is 0.5m and 1m. Other length can be customized.		

Name	3035 LED Tube	D50 LED Tube
Model	LED-LT3035DMX4816	LED-LTD50DMX4816
Dimension	1000*30*35mm	1000* ϕ 55mm
Color	RGB full color	RGB full color
LED QTY	48pcs smd rgb 5050	48pcs smd rgb 5050
Pixel QTY	16pixels	16pixels
Voltage	DC12V	DC12V
Power	MAX=12W	MAX=12W
Protocol	DMX512	DMX512
Address Mode	Auto / Manual	Auto / Manual
Material	Aluminum housing +PC diffuser	PC
Housing Color	Silver/Black	Milky
Diffuser Color	Milky/Clear	Milky
IP Rate	IP65	IP65
Remark	1, 60led 20pixels per meter is available. 2, Regular length is 0.5m and 1m. Other length can be customized.	

Wiring Diagram



Accessory



Model Definition

LED-LT 5065 DMX 48 16

